



1704 East Bullard Avenue  
Fresno, CA 93710

Basic-Crete Urethanes - Epoxies - MMAs

Toll Free: 877.225.2549 Tel: 559.230.1500 Fax: 559.266.6007 Internet: www.basicpolymers.com

## Basic-Crete Part C Filler

Product Name: Basic-Crete Slurry, Slurry HT, Mortar, TC, Cove, and TR

HAZARDOUS COMPONENTS	CAS NO.	EXPOSURE LIMITS*			CONTENT
		TLV	STEL	PEL	
Silica, Crystalline Quartz **	14808-60-7	***	None	****	70-85%
Portland Cement	65997-15-1	10 mg/M3	None	None	10-25%
Calcium Magnesium Hydroxide	39445-23-3	3 mg/m3*****	None	5 mg/m3	<6%

- (\*) Refer to Section 7 for available LD/LC (50) Health Hazard Data.
- (\*\*) Contains less than 0.1% w/w 53 micron or smaller Crystalline Quartz.
- (\*\*\*) 0.1 mg/m3 respirable quartz
- (\*\*\*\*) 10 mg/m3 divided by %SiO2+2 (respirable quartz)
- (\*\*\*\*\*) Particulates NOC – Respirable

### PHYSICAL CHARACTERISTICS:

Boiling Point (°C):	N/Av	Water/Oil Distribution	
Percent VOC (w/w):	0	Coefficient:	N/Av
Freezing Point (°C):	N/Av	Solubility in Water:	Slight
Vapor Pressure mmHg @ 20 (°C):	N/Av	Specific Gravity:	N/Av
Vapor Density:	> Air	pH	N/Av
Odor Threshold:	N/Av	Evaporation Rate: (Ether=1)	N/Av
Appearance: Pigmented powder		Odor: Odorless	
N/Av = Not Available	N/Av = Not Applicable		ca. = Approximate

### FIRE AND EXPLOSION HAZARD DATA: HMIS Hazard Rating No. 0 (Minimal)

Flash Point: Non-combustible Method: Not Applicable

Auto-Ignition Temperature: Non-combustible

Limits of Flammability: LEL: Not Available UEL: Not Available

Extinguishing Media: Use extinguishing media suitable for surrounding fires.

Special Fire & Unusual Hazards: None.

### REACTIVITY DATA: HMIS Hazard Rating No. 1 (Slight)

Stability: Stable. Not sensitive to mechanical impact

Incompatibility: Strong mineral acids. Hydrofluoric acid slowly dissolves silicon dioxides (Silicon Tetrafluoride, a toxic substance, is formed).

Hazardous Decomposition Products: None known.

## Material Safety Data Sheet

# Basic-Crete Part C Filler

Product Name: Basic-Crete Slurry, Slurry HT, Mortar, TC, Cove, and TR

### REACTIVITY DATA:

Hazardous Polymerization: Will not occur.

**HEALTH HAZARD DATA:** HMIS Hazard Rating No. 3 (Serious)

PRIMARY ROUTE OF ENTRY: Inhalation

### Effects of Overexposure

Ingestion: Not likely source of entry due to physical nature of material.

Eyes: Abrasive action may cause damage to the outer surface of the eye. In combination with water may cause severe irritation with corneal injury

Skin Contact: Abrasive action may cause slight to moderate irritation. In combination with water dermal exposure may cause severe alkali burns.

Chronic: Materials are not known mutagenic, teratogenic, or reproductive health hazards.

Inhalation: May cause irritation to mucous membranes, upper respiratory tract, coughing and labored breathing.

Skin Absorption: Does not absorb through skin.

Repeated inhalation of respiratory silica in excess of the TLV over extended periods can result in irreversible fibrosis of the lungs (silicosis). An IARC evaluation concluded that there is sufficient evidence (Group I) that crystalline silica may be carcinogenic to humans.

### FIRST AID:

Inhalation: Remove victim from exposure. If difficulty with breathing, administer oxygen. If breathing has stopped administer artificial respiration, preferably mouth-to-mouth. Seek medical attention.

Eyes: Flush eyes with water, lifting upper and lower lids occasionally for 15 minutes. Seek medical attention.

Skin: Remove contaminated clothing. Wash thoroughly with soap and water. If irritation persists seek medical attention. Wash contaminated clothing before reuse.

Ingestion: Do **NOT** induce vomiting; give large quantities of water; get immediate medical attention. If vomiting occurs spontaneously, keep head below hips to prevent aspiration of liquids into lungs. Do **NOT** give anything by mouth to an unconscious person.

### ENVIRONMENTAL AND DISPOSAL INFORMATION:

Action to Take for Spills/Leaks: No special procedures are required for cleanup of spills or leaks of this material. Sweep up and return for reuse or discard. Landfill at agency approved waste-disposal facilities.

Waste Disposal Method: Does not contain hazardous chemicals as defined in 40 CFR 260. Handle disposal of waste material in accordance with local, state, province and federal regulation. Landfill agency approved waste disposal facilities.

## Material Safety Data Sheet

# Basic-Crete Part C Filler

Product Name: Basic-Crete Slurry, Slurry HT, Mortar, TC, Cove, and TR

### PROTECTION INFORMATION:

Ventilation: Ventilation is recommended. Air movement must be designed to insure turnover at all locations in work area to avoid build up of heavy vapors.

Personal Protection Equipment: Do **NOT** wear contact lenses when working with this material. Use chemical goggles/safety glasses with side shields and Rubber/Nitrile gloves. Selection of specific items such as boots and apron will depend on operation. Wear respirator protection whenever airborne concentrations exceed TLV or TWA limits. Use NIOSH/OSHA approved respirators equipped with an organic vapor cartridge for listed hazard.

Confined spaces, rooms, or tanks are areas where concern for TLV's is especially important. Reference OSHA Regulation CFR 29 1910.134 for recommended respiratory protection.

### SUPPLEMENTAL INFORMATION:

Average Shelf Life: Refer to Product Data Sheet.

Special Instructions: Store in cool, dry place.

### REGULATORY INFORMATION:

Title III Section 302: CASRN 101-68-8 RQ: 5000 LB

Title III Section 311/312: Health hazard: Immediate  
Delayed  
Physical hazard: None

Title III Section 313: None above deminimis.

State: California This product contains a chemical known to the state of California to cause cancer.

WHMIS Classification: Class D, Div. 2, Sub A  
Class D, Div. 2, Sub B  
Class D, Div. 2, Sub B

Canadian Domestic Substance List: All chemicals are listed.

### TRANSPORT

National Motor Freight Classification (NMFC): 149980 Sub: - Class: 55

Description: PAINT AND RELATED MATERIAL

Emergency Response Guide Page No.: NOT REGULATED

DOT Reportable Quantity: NOT REGULATED

Proper Shipping Name: NOT REGULATED – USE NMFC DESCRIPTION

Marine Pollutant: NL  
P = Moderate WS = Water Sheen ND = Not Determined  
PP = Severe NL = Not Listed

This information is furnished without warranty, representation, or license of any kind, except that this information is accurate to the best of the Manufacture's knowledge, or is obtained from sources believed by the Manufacture to be accurate. No warranty is expressed or implied regarding the accuracy of this information or the results to be obtained from its use thereof. The Manufacture assumes no responsibility for injuries proximately caused by use of the Material if reasonable safety procedures are not followed as stipulated in this Data Sheet. Additionally, the Manufacture assumes no responsibility for injuries proximately caused by abnormal use of the Material even if reasonable safety procedures are followed. Buyer assumes the risk in its use of the Material.

Emergency contact : **800-424-9300 (ChemTrec Emergency Response, USA)**